

S11 9	2	"713"/\$.ccls. and ((system near3 (program\$5 or configur\$6))with ((periheral adj3 control\$4)or (host adj adapter)))	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/07/13 16:13
S11 0	0	"713"/\$.ccls. and ((devoid)adj6 (non\$volatile or eeprom or eprom or flash))	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/07/13 16:14
S11 1	84	"713"/\$.ccls. and ((without)adj6 (non\$volatile or eeprom or eprom or flash))	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/07/13 16:14
S11 2	27	(programmable or configurable or inteligent)near3 (host adj adapter)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 15:57
S11 3	80	"I27" and (boot\$4 or initial\$7)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 14:29
S11 4	22	S112 and (boot\$4 or initial\$7)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 15:58
S11 5	9	S112 and ((upload\$4 or load\$4)near4 (instruction\$1 or program or code))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 15:59
S11 6	1	S112 and (((upload\$4 or load\$4)near4 (instruction\$1 or program or code))same (motherboard or (system adj (memory or ram or rom or storage))))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 14:33
S11 7	2	S112 and (((upload\$4 or load\$4))with (motherboard or (system adj (memory or ram or rom or storage))))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 14:35

S11 8	2	S114 and (((upload\$4 or load\$4))with (motherboard or (system adj (memory or ram or rom or storage))))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 14:35
S11 9	7	S115 and ((peripheral or pci)adj4 bus)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 15:57
S12 0	20941	"710"/\$.ccls.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:56
S12 1	22	S120 and ((programmable or configurable or intelligent)near3 (host adj adapter))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 15:57
S12 2	19	S121 and (boot\$4 or initial\$7)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 15:58
S12 3	5	S122 and (down\$load\$4 or download\$4)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:04
S12 4	8	S122 and ((upload\$4 or load\$4)near4 (instruction\$1 or program or code))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:29
S12 5	4	S123 and ((upload\$4 or load\$4)near4 (instruction\$1 or program or code))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:00

S12 6	127	((((upload\$4 or load\$4)near4 (instruction\$1 or program or code))near4 (volatile or ram or dram))same (motherboard or (system adj (memory or storage))))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:57
S12 7	1	((((upload\$4 or load\$4)near4 (instruction\$1 or program or code))near4 (volatile or ram or dram))with (host adj adapter))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:54
S12 8	1	((((upload\$4 or load\$4 or transfer\$4)near4 (instruction\$1 or program or code))near4 (volatile or ram or dram))with (host adj adapter))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:36
S12 9	10	S126 and (((down\$load\$4 or (down adj load\$4))near4 (instruction\$1 or program or code))near4 (volatile or ram or dram))same (motherboard or (system adj (memory or storage))))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:57
S13 0	0	(((((down\$load\$4 or (down adj load\$4))near4 (instruction\$1 or program or code))near4 (volatile or ram or dram))with (host adj adapter))same (motherboard or (system adj (memory or storage))))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:39
S13 1	1	(((((upload\$4 or load\$4)near4 (instruction\$1 or program or code))near4 (volatile or ram or dram))with (host adj adapter))same ((motherboard or system) near5 (memory or storage or ram or rom)))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:55
S13 2	0	(((((upload\$4)near4 (instruction\$1 or program or code))near4 (volatile or ram or dram))with (host adj adapter))same ((motherboard or system) near5 (memory or storage or ram or rom)))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:55
S13 3	22086	"713"/\$.ccls.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:56

S13 4	0	S120 and (((down\$load\$4 or (down adj load\$4))near4 (instruction\$1 or program or code))near4 (volatile or ram or dram))same (motherboard or (system adj (memory or storage)))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:57
S13 5	0	S133 and (((down\$load\$4 or (down adj load\$4))near4 (instruction\$1 or program or code))near4 (volatile or ram or dram))same (motherboard or (system adj (memory or storage)))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:58
S13 6	12	S120 and (((upload\$4 or load\$4))near4 (instruction\$1 or program or code))near4 (volatile or ram or dram))same (motherboard or (system adj (memory or storage))))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:58
S13 7	20	S133 and (((upload\$4 or load\$4))near4 (instruction\$1 or program or code))near4 (volatile or ram or dram))same (motherboard or (system adj (memory or storage))))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:58
S13 8	1	S136 and (((down\$load\$4 or (down adj load\$4))near4 (instruction\$1 or program or code)))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 17:00
S13 9	4	S137 and (((down\$load\$4 or (down adj load\$4))near4 (instruction\$1 or program or code)))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 16:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((upload\$3 or download\$4)near3 (program adj instruction))with ((adapter or peripheral or function)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:14
L2	0	((upload\$3)near3 ((program adj instruction) or code or software or program))with ((adapter or peripheral or function)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:15
L3	0	((upload\$3)near3 ((program adj instruction) or instruction or code or software or program))with ((adapter or peripheral or function)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:16
L4	0	((upload\$3)near3 ((program adj instruction) or instruction or code or software or program))with ((adapter or peripheral or function or secondary or pci or application)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:17
L5	10	((upload\$3 or back\$up or mirror or cop\$4)near3 ((program adj instruction) or instruction or code or software or program))with ((adapter or peripheral or function or secondary or pci or application)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:46
L6	178	((upload\$3 or back\$up or mirror or cop\$4 or sav\$4 or stor\$4)near3 ((program adj instruction) or instruction or code or software or program))with ((adapter or peripheral or function or secondary or pci or application)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:45

L7	107	I6 same ((motherboard or system or host\$computer)with memory or storage or rom)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:20
L8	3	I5 same ((motherboard or system or host\$computer)with memory or storage or rom)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:20
L9	93	(booting or initiali\$8)near3 ((adapter or peripheral or function or secondary or pci or application)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:45
L10	0	I9 same ((download\$4 near3 (instruction or code or program or software))with (system or motherboard))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:48

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((upload\$3 or download\$4)near3 (program adj instruction))with ((adapter or peripheral or function)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:14
L2	0	((upload\$3)near3 ((program adj instruction) or code or software or program))with ((adapter or peripheral or function)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:15
L3	0	((upload\$3)near3 ((program adj instruction) or instruction or code or software or program))with ((adapter or peripheral or function)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:16
L4	0	((upload\$3)near3 ((program adj instruction) or instruction or code or software or program))with ((adapter or peripheral or function or secondary or pci or application)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:17
L5	10	((upload\$3 or back\$up or mirror or cop\$4)near3 ((program adj instruction) or instruction or code or software or program))with ((adapter or peripheral or function or secondary or pci or application)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:46
L6	178	((upload\$3 or back\$up or mirror or cop\$4 or sav\$4 or stor\$4)near3 ((program adj instruction) or instruction or code or software or program))with ((adapter or peripheral or function or secondary or pci or application)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:45

L7	107	I6 same ((motherboard or system or host\$computer)with memory or storage or rom)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:20
L8	3	I5 same ((motherboard or system or host\$computer)with memory or storage or rom)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:20
L9	93	(booting or initiali\$8)near3 ((adapter or peripheral or function or secondary or pci or application)adj (card or pcb or board))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:51
L10	0	I9 same ((download\$4 near3 (instruction or code or program or software))with (system or motherboard))	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 12:48